

279-3013

06/12/2013

1/5



UNITED STATES ENVIRONMENTAL PROTECTION AGENCY
WASHINGTON, D.C. 20460

OFFICE OF CHEMICAL SAFETY
AND POLLUTION PREVENTION

June 12, 2013

Mr. Evan Parenti
FMC Corporation
1735 Market Street
Philadelphia, PA 19103

**Subject: Amended Reregistration Label Pounce Technical
D387101
EPA Registration No.279-3013**

Dear Mr Parenti:

The Agency, in accordance with the Federal Insecticide, Fungicide and Rodenticide Act (FIFRA), as amended, has completed reviewing all of the information submitted with your application to support the reregistration of the referenced product in connection with the **Permethrin RED**, and has concluded that your submission is acceptable.

PLEASE NOTE: This product is not being reregistered under sections 3(c)5 and 4(g) of FIFRA at this time.


PLEASE NOTE: That the record for this product currently contains the Confidential Statements of Formulation (CSFs) listed below. Any previously dated CSF's are superseded.

- Basic CSF dated: August 18, 2011
- Alt#1 CSF dated: August 18, 2011
- Alt#2 CSF dated: August 18, 2011

A copy of your label stamped Acceptable is enclosed along with copies of the acute toxicity and product chemistry reviews completed for the subject product. Products shipped after 12 months from the date of this amendment or the next printing of the label whichever occurs first, must bear the new revised label. Your release for shipment of the product bearing the amended label constitutes acceptance of these conditions. If these conditions are not complied with, the registration will be subject to cancellation in accordance with FIFRA sec. 6(e).

If you have any questions about this letter, please contact Linda A. DeLuise at (703) 305-5428 or via e-mail at deluise.linda@epa.gov or Mr. Richard J. Gebken at (703) 305-6701 or via e-mail at Gebken.Richard@epa.gov.

Sincerely yours,



Richard Gebken
Product Manager 10
Insecticide Branch
Registration Division (7505P)

Enclosure: Label stamped Accepted dated: June 12, 2013

3/5

ACCEPTED
JUN 12 2013
Under the Federal Insecticide, Fungicide, and Rodenticide Act, as amended, for the pesticide registered under EPA Reg No. 279-3013

Code 3500

Pounce[®] Technical

Insecticide

An Insecticide for Formulating Use Only

EPA Reg. No. 279-3013

EPA Est. No.

Active Ingredients:

Permethrin.....	95.40%
Other Ingredients.....	4.60%
	100.00%

(cis/trans) isomers, ratio: Max. 55% (±) cis and min 45% (±) trans

KEEP OUT OF REACH OF CHILDREN CAUTION

FIRST AID

If Inhaled: Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably by mouth-to-mouth, if possible. Call a poison control center or doctor for further treatment advice.

If on Skin or Clothing: Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control center or doctor for treatment advice.

If in Eyes: Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for treatment advice.

If Swallowed: Call a poison control center or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by the poison control center or doctor. Do not give anything by mouth to an unconscious person.

HOTLINE NUMBER

Have the product container or label with you when calling a poison control center or doctor, or going for treatment. You may also contact 1-800-331-3148 for emergency medical treatment information.



FMC Corporation
1735 Market Street
Agricultural Products Group
Philadelphia PA 19103

NET CONTENTS

4/30/2013

PRECAUTIONARY STATEMENTS

Hazards to Humans (& Domestic Animals)

Caution: Harmful if swallowed, inhaled or absorbed through skin. Avoid contact with skin, eyes or clothing. Wash thoroughly after handling.

ENVIRONMENTAL HAZARDS

This product is extremely toxic to fish. Keep out of lakes, streams, ponds, tidal marshes or estuaries. Do not contaminate water by cleaning equipment or disposal of wastes. Do not discharge effluent containing this product into lakes, streams, ponds, estuaries, oceans or public waters unless in accordance with the requirements of a National Pollutant Discharge Elimination System (NPDES) permit and the permitting authority has been notified in writing prior to discharge. Do not discharge effluent containing this product to sewer systems without previously notifying the sewage treatment plant authority. For guidance, contact your State Water Board or Regional Office of the Environmental Protection Agency.

Physical/Chemical Hazards

Do not use or store near heat or open flame.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

Formulators using this product are responsible for obtaining USEPA registration for their formulated product which may be labeled for the use patterns as found listed on this label.

This Material Requires Further Mixing Before Use

STORAGE AND DISPOSAL

Do not contaminate other pesticides, fertilizers, water, food or feed by storage or disposal. Open dumping is prohibited. Do not reuse empty container.

Pesticide Storage

Keep out of reach of children and animals. Store in original containers only. Store in a cool, dry place and avoid excess heat. Protect from freezing. Do not store near food or feed. Carefully open containers. After partial use, replace lids and close tightly. Keep container closed when not in use. Do not put concentrate or dilute material into food or drink containers.

In case of spill, avoid contact, isolate area and keep out animals and unprotected persons. Confine spills. Call FMC (800) 331-3148.

To confine spill: If liquid, dike surrounding area or absorb with sand, cat litter or commercial clay. If dry material, cover to prevent dispersal. Place damaged package in a holding container. Identify contents.

Pesticide Disposal

Pesticide wastes are toxic. Improper disposal of excess pesticide, spray mixture, or rinsate is a violation of Federal Law. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste representative at the nearest EPA Regional Office for guidance.

Container Disposal

Nonrefillable container. Do not reuse or refill this container. Triple rinse (or pressure rinse) as follows:

Triple rinse: Empty the remaining contents into a storage container or a mix tank. Fill the container ¼ full with appropriate solvent (1). Replace and tighten closures. Tip container on its side and roll it back and forth ensuring at least one complete revolution, for 30 seconds. Stand the container on its end and tip it back and forth several times. Empty the rinsate into a storage container for later use or disposal or into a mix tank for product formulation. Repeat this procedure two more times.

Pressure rinse: Empty the remaining contents into a storage container a mix tank and continue to drain for 10 seconds after the flow

begins to drip. Hold container upside down over storage container or mix tank or collect rinsate for later use or disposal. Insert pressure rinsing nozzle in the side of the container, and rinse at about 40 PSI for at least 30 seconds. Drain for 10 seconds after the flow begins to drip. (1) An appropriate solvent would include a solvent that will dissolve technical material. The rinsate may be used later to formulate a product or may be disposed in accordance with local, state and national environmental laws, rules, standards and regulations.

- Ornamental Nursery Stock (field-grown)
- Pine Seed Orchards
- Roses (field-grown & greenhouse)

General Indoor Insect Control:

Food handling Establishments: Places other than private residences in which food is held, processed, prepared or served.

Non-Food/Feed Areas: May be used to manufacture end-use products for use as a general spot or crack and crevice treatment in non-food areas. Similar areas where insects hide or through which insects may enter can be treated. Examples of non-food areas include: garbage rooms, lavatories, floor drains (to sewers), entries and vestibules, offices, locker rooms, machine rooms, boiler rooms, garages, mop closets and storage (after canning or bottling).

Food/Feed Areas: May not be used to manufacture products for use in food/feed areas. Do not use in food areas of food handling establishments, restaurants or other areas where food is commercially prepared or processed. Do not use in serving areas where food is exposed or facility is in operation. Serving areas are areas where prepared foods are served such as dining rooms but excluding areas where foods may be prepared or held. In the home, all food processing surfaces and utensils should be covered during treatment or thoroughly washed before use. Exposed food should be covered or removed. Examples of food areas are areas for receiving, storage/packing (canning, bottling, wrapping, boxing), preparing, edible wastes storage and enclosed processing systems (mills, dairies, edible oils, syrups), serving areas (when food is exposed and facility is in operation) also would be considered a food area.

All liquid and RTU products labeled for use on indoor surfaces (broadcast, baseboard, spot, and crack and crevice) at residential sites must be formulated to contain no more than 0.5% of permethrin active ingredient.

All liquid broadcast (excluding RTU aerosols) labeled for use on indoor surfaces must state the following: "Not for broadcast use"

Total release foggers labeled for indoor use at residential sites must be formulated to contain no more than 0.58% permethrin active ingredient.

Fiber Product Production

Do not exceed an application rate equivalent to 1.25 grams of a.i. per square meter of fabric.

Human Articles and Materials

Human Body Hair and Skin

Note: Not for use to formulate products to be used:

- In greenhouses where crops for food or feed are grown
- In USDA meat and egg processing plants
- In warehouses where raw or cured tobacco is stored.
- In warehouses where raw agricultural commodities for food or feed are stored.
- For mosquito control (ULV) products.
- In formulations into Thermal and Cold Foggers. Not for formulation into products for commercial indoor use applied with thermal or cold handheld foggers.

(2) Uses for which USEPA has accepted the required data and/or citations of data that the formulator has submitted in support of registration

This product may be used to formulate products for any additional use(s) not listed on the MP label if the formulator, user group, or grower has complied with U.S. EPA submission requirements regarding support of such use(s).

(3) Uses for experimental purposes that are in compliance with USEPA requirements.

Only for formulation into an insecticide for the following uses:

(1) General Outdoor Insect Control:

Do not apply more than 2 pounds active ingredient per acre per year.

Terrestrial food:

- | | |
|----------------------------------|--|
| Alfalfa | Leafy vegetables (except Brassicas) ² |
| Almonds | Mushrooms |
| Apples | Onions (dry bulb & garlic) |
| Artichokes | Papaya (FL only) |
| Asparagus | Peaches, Nectarines |
| Asparagus fern | Pears |
| Avocados | Peppers, bell |
| Cherries | Pistachios |
| Cole crops ¹ | Potatoes |
| Collards | Range Grass (NM only) |
| Curcubit vegetables ² | Soybeans |
| Eggplant | Sweet corn |
| Field corn/popcorn/seed corn | Tomatoes |
| Filberts | Turnips |
| Horseradish | Walnuts |
- ¹ Broccoli, Chinese broccoli, Brussels sprouts, cabbage, Chinese cabbage, cauliflower, Cavolo broccolo, and kohlrabi.
- ² **Chayote (fruit)** (*Sechium edule*); **Chinese waxgourd (Chinese preserving melon)** (*Bernincasa hispida*); **Citron melon** (*Citrullus lanatus* var. *citroides*); **Cucumber** (*Cucumis sativus*); **Gherkin** (*Cucumis anguria*); **Gourd, edible** (*Lagenaria* spp.) (includes hyotan, cucuzza); (*Luffa* spp.) (includes hechima, Chinese okra); (**Momordica** spp.) (includes balsam apple, balsam pear, bitter melon, Chinese cucumber); **Muskmelon (hybrids and/or cultivars of Cucumis melo)**(includes true cantaloupe, cantaloupe, casaba, crenshaw melon, golden pershaw melon, honeydew melon, honey balls, mango melon, Persian melon, pineapple melon, Santa Claus melon, and snake melon); **Pumpkin** (*Cucurbita* spp.); **Squash, summer** (*Cucurbita pepo* var. *melopepo*) (includes crookneck squash, scallop squash, straightneck squash, vegetable marrow, zucchini); **Squash, winter** (*Cucurbita maxima*; *C. moshata*) (includes butternut squash, calabaza, hubbard squash; (*C. mixta*; *C. pepo*) includes acorn squash, spaghetti squash); **Watermelon** (includes hybrids and/or varieties of *Citrullus* spp.).
- ³ **Amaranth** (leafy amaranth, Chinese spinach, tampala); **Arugula** (Roquette); **Cardoon**; **Celery**; **Celery, Chinese**; **Celtuce**; **Chervil**; **Chrysanthemum, edible leaved and garland**; **Corn salad**; **Cress, garden**; **Cress, upland** (yellow rocket, winter cress); **Dandelion**; **Dock** (sorrel); **Endive** (escarole); **Fennel, Florence** (finocchio); **Lettuce, head and leaf**; **Orach**; **Parsley**; **Purslane, garden**; **Purslane, winter**; **Radicchio** (red chicory); **Rhubarb**; **Swiss chard**.
- Spinach** (including New Zealand and vine, Malabar spinach, Indian spinach).

Terrestrial Non-Food:

- Christmas Trees (container & field-grown)
- Chrysanthemums
- Conifers (container & field-grown)
- Domestic Farm Animals: Cattle, Horses, Hogs, Poultry
- Agricultural Premise
- Companion Animals
- Termiticide and Soil Contact Nonfumigation Treatment
- Wood Treatment & Protection
- Ornamental plants, trees, shrubs and vines (woody)
- Lawn & Turf grasses

NOTICE

Seller warrants that the product in this container conforms to its chemical description contained hereon and is reasonably fit for its intended purpose when used in accordance with proper manufacturing practices and procedures and under normal conditions of use. Neither this warranty nor any other warranty of **MERCHANTABILITY** or of **FITNESS** for a particular purpose, express or implied, extends to use or handling of this product contrary to proper manufacturing practices and procedures, or under abnormal conditions or conditions not reasonably foreseeable to Seller, or to use by mixture, chemical reaction or formulation with other substances not specifically recommended in writing by Seller, and Buyer assumes all risk of any such use. Any damages arising from breach of warranty or negligence shall be limited to direct damages not exceeding the purchase price paid for this product by Buyer, and shall not include incidental or consequential damages such as, but not limited to, loss of profits or values.

Pounce and FMC - FMC Trademarks

Only

Only